

∞ Erewhon-Math ∞

Daniel Flipo
daniel.flipo@free.fr

18th October 2020

1 What is Erewhon-Math?

Erewhon-Math is an Utopia based Opentype mathematical font. The mathematical symbols and Greek letters are borrowed or derived from Michel Bovani's Fourier-GUTenberg, Latin letters and digits are borrowed from Michael Shape's Erewhon font.

It requires LuaTeX or XeTeX as engine and the `unicode-math` package¹.

It is meant to be used with Utopia based Opentype text fonts like Erewhon. For Fourier-GUTenberg users who want to switch to LuaLaTeX or XeLaTeX, the file `fourier-otf.sty` can be used as a replacement of `fourier.sty`.

Please note that the current version (0.45) is *experimental, do expect metrics and glyphs to change* until version 1.0 is reached. Comments, suggestions and bug reports are welcome!

2 Usage

2.1 Calling `\setmathfont`

A basic call for Erewhon-Math would be:

```
\usepackage{unicode-math}
\setmathfont{Erewhon-Math.otf} % Call by file name or
\setmathfont{Erewhon Math}    % Call by font name
```

this loads Erewhon-Math as math font with the default options, see subsections 3.1 on the following page, 3.2 on page 3 and 3.3 on page 4 for customisation.

Please note that the three sets of text fonts have to be chosen separately, f.i.:

```
\setmainfont{Erewhon}                % rm
\setsansfont{Cabin}[Scale=MatchLowercase] % sf
\setmonofont{Inconsolatazi4}[Scale=MatchLowercase] % tt
```

otherwise you would get Latin Modern for text fonts.

¹Please read the documentation `unicode-math.pdf`.

2.2 Calling `fourier-otf.sty`

As an alternative to load Erewhon-Math –*this is the recommended way*– you can type:

```
\usepackage[ options2 ]{fourier-otf}
```

it also loads `unicode-math` with the default options and sets Fourier Math as Math font but does a bit more:

1. it checks at `\begin{document}` if packages `amssymb` or `latexsym` are loaded and issues warnings in case they are;
2. it provides aliases for glyphs named differently in Unicode, so that `latexsym` or AMS names are also available;
3. it loads `fourier-orns.sty`, providing many text ornaments;
4. it defines specific Math characters like `\Bbbbackslash` (\backslash), `\vareemptyset` (\emptyset), `\parallelslant` ($//$), `\shortparallelslant` ($\#$), etc.;
5. it reduces spacing in math mode: `\thinmuskip`, `\medmuskip` and `\thickmuskip` are reduced as in `fourier.sty`. The option `loose` disables these settings.

3 What is provided?

Erewhon-Math provides all glyphs supplied by *Fourier-GUTenberg* plus all glyphs available in the `amssymb` and `latexsym` packages and many more. Therefore, these two packages *should not* be loaded as they might override Erewhon-Math glyphs.

Sans-serif, typewriter and fraktur styles are borrowed from Latin Modern fonts. See in section 3.5 on page 7 how to choose from other Math fonts for these styles.

A full list of available glyphs is shown in file `unimath-erewhon.pdf`.

3.1 Upright or slanted?

Package `unicode-math` follows \TeX conventions for Latin and Greek letters: in math mode, the default option (`math-style=TeX`) prints Latin letters $a\dots z A\dots Z$ and lowercase greek letters $\alpha\dots\omega$ slanted (italic) while uppercase greek letters $\text{A}\Gamma\dots\Omega$ are printed upright. This can be changed by option `math-style` as shown in table 1 on the following page.

Bold letters are printed upright except lowercase Greek letters which are slanted (the default option is `bold-style=TeX`). This can be changed by option `bold-style` as shown in table 2 on the next page.

Other possible customisation: ∇ is printed upright and ∂ is printed slanted by default, but `nabla=italic` and `partial=upright` can change this.

All these options are offered by the `unicode-math` package but they can be added to the `\setmathfont` call³, for example:

²Possible *options* are `loose` or any of the options described below for `\setmathfont`.

³IMHO it is easier to add *all options* to the `\setmathfont` command.

Table 1: Effects of the `math-style` package option.

Package option	Latin	Greek
<code>math-style=ISO</code>	(a, z, B, X)	$(\alpha, \beta, \Gamma, \Xi)$
<code>math-style=TeX</code>	(a, z, B, X)	$(\alpha, \beta, \Gamma, \Xi)$
<code>math-style=french</code>	(a, z, B, X)	$(\alpha, \beta, \Gamma, \Xi)$
<code>math-style=upright</code>	(a, z, B, X)	$(\alpha, \beta, \Gamma, \Xi)$

Table 2: Effects of the `bold-style` package option.

Package option	Latin	Greek
<code>bold-style=ISO</code>	$(\mathbf{a}, \mathbf{z}, \mathbf{B}, \mathbf{X})$	$(\boldsymbol{\alpha}, \boldsymbol{\beta}, \boldsymbol{\Gamma}, \boldsymbol{\Xi})$
<code>bold-style=TeX</code>	$(\mathbf{a}, \mathbf{z}, \mathbf{B}, \mathbf{X})$	$(\boldsymbol{\alpha}, \boldsymbol{\beta}, \boldsymbol{\Gamma}, \boldsymbol{\Xi})$
<code>bold-style=upright</code>	$(\mathbf{a}, \mathbf{z}, \mathbf{B}, \mathbf{X})$	$(\boldsymbol{\alpha}, \boldsymbol{\beta}, \boldsymbol{\Gamma}, \boldsymbol{\Xi})$

`\setmathfont{Erewhon Math}[math-style=french,partial=upright]`
will print for the code

```
\[ \frac{\partial f}{\partial x} = \alpha \mathbf{V} + a \nabla \Gamma + \beta \mathbf{M} \]
```

$$\frac{\partial f}{\partial x} = \alpha \mathbf{V} + a \nabla \Gamma + \beta \mathbf{M}$$

while the default settings would print

$$\frac{\partial f}{\partial x} = \alpha \mathbf{V} + a \nabla \Gamma + \beta \mathbf{M}$$

If your text editor is able to handle greek letters or math symbols, they can be entered in the code instead control sequences (i.e. $\alpha, \beta, \Gamma, \dots$ for `\alpha, \beta, \Gamma, \dots`).

3.2 Character variants

Erewhon-Math provides eleven “Character Variants” options to choose between different glyphs for Greek characters and some others, see table 3 on the following page for the full list.

For instance, to get `\epsilon` and `\phi` typeset as ε and φ instead of ϵ and ϕ , you can add option `CharacterVariant={3,6}` to the `\setmathfont` call:

```
\setmathfont{Erewhon Math}[CharacterVariant={3,6}]
```

This works for all shapes and weights of these characters: `\symit{\epsilon}`, `\symup{\epsilon}`, `\symbf{\epsilon}`, `\symffit{\epsilon}` are output as $\varepsilon, \varepsilon, \boldsymbol{\varepsilon}, \boldsymbol{\varepsilon}$ instead of $\epsilon, \epsilon, \boldsymbol{\epsilon}, \boldsymbol{\epsilon}$.

The same is true for `\phi` of course. Please note that curly braces are mandatory whenever more than one “Character Variant” is selected.

Table 3: Character variants.

	Default	Variant	Name
cv00	0	0	0
cv01	<i>h̄</i>	<i>h̄</i>	\hslash
cv02	∅	∅	\emptyset
cv03	ε	ε	\epsilon
cv04	κ	κ	\kappa
cv05	π	ϖ	\pi
cv06	φ	φ	\phi
cv07	ρ	ρ	\rho
cv08	σ	ς	\sigma
cv09	θ	ϑ	\theta
cv10	Θ	Θ	\Theta

Note about \hbar (v0.43): `unicode-math` defines `\hbar` as `\hslash` (U+210F) while `amsmath` provides two different glyphs (italic h with horizontal or diagonal stroke). `kpfonts-otf` now follows `unicode-math`; the italic h with horizontal stroke can be printed using `\hslash` or `\hbar` together with character variant `cv01` or with `\mi thbar` (replacement for AMS' command `\hbar`).

3.3 Stylistic sets

Erewhon-Math provides four “Stylistic Sets” options to choose between different glyphs for families of mathematical symbols.

`StylisticSet=4`, alias⁴ `Style=leqslant`, converts (large) inequalities into their slanted variants as shown by table 4 on the next page.

`StylisticSet=5`, alias `Style=smaller`, converts some symbols into their smaller variants as shown by table 5 on the following page.

`StylisticSet=6`, alias `Style=subsetneq`, converts some inclusion symbols as shown by table 6 on the next page.

`StylisticSet=7`, alias `Style=parallelslant`, converts “parallel” symbols into their slanted variants as shown by table 7 on the following page.

To enable Stylistic Sets 4, 6 and 7 for Erewhon-Math, you should enter

```
\setmathfont{Erewhon Math}[StylisticSet={4,6,7}] or
\usepackage[Style={leqslant,subsetneq,parallelslant}]{fourier-otf}
```

then, `\[x\leq y \quad A \subsetneq B \quad D \parallel D' \]` will print as

$$x \leq y \quad A \subsetneq B \quad D \parallel D'$$

instead of

$$x \leq y \quad A \subsetneq B \quad D \parallel D'$$

⁴These Style aliases are provided by `fourier-otf.sty`.

Table 4: Stylistic Set 4 – leqslant (slanted inequalities)

Command	Default	Variant
<code>\leq</code>	\leq	\leq
<code>\geq</code>	\geq	\geq
<code>\nleq</code>	$\not\leq$	$\not\leq$
<code>\ngeq</code>	$\not\geq$	$\not\geq$
<code>\leqq</code>	\leqq	\leqq
<code>\geqq</code>	\geqq	\geqq
<code>\eqless</code>	\leq	\leq
<code>\eqgtr</code>	\geq	\geq
<code>\lesseqgtr</code>	\leq	\leq
<code>\gtreqless</code>	\geq	\geq
<code>\lesseqqgtr</code>	\leqq	\leqq
<code>\gtreqqless</code>	\geqq	\geqq

Table 5: Stylistic Set 5 – smaller (smaller variants)

Command	Default	Variant
<code>\in</code>	\in	\in
<code>\ni</code>	\ni	\ni
<code>\mid</code>	$ $	$ $
<code>\nmid</code>	\nmid	\nmid
<code>\parallel</code>	\parallel	\parallel
<code>\nparallel</code>	\nparallel	\nparallel
<code>\parallelslant</code>	\parallel	\parallel
<code>\nparallelslant</code>	\nparallel	\nparallel

Table 6: Stylistic Set 6 – subsetneq (inclusion variants)

Command	Default	Variant
<code>\subsetneq</code>	\subsetneq	\subsetneq
<code>\supsetneq</code>	\supsetneq	\supsetneq
<code>\subsetneqq</code>	\subsetneqq	\subsetneqq
<code>\supsetneqq</code>	\supsetneqq	\supsetneqq

Table 7: Stylistic Set 7 – parallelslant (slanted variants)

Command	Default	Variant
<code>\parallel</code>	\parallel	\parallel
<code>\nparallel</code>	\nparallel	\nparallel
<code>\shortparallel</code>	\parallel	\parallel
<code>\nshortparallel</code>	\nparallel	\nparallel

3.4 Standard \LaTeX math commands

All standard \LaTeX math commands, all `amssymb` commands and all `latexsym` commands are supported by Erewhon-Math, for some of them loading `fourier-otf.sty` is required.

Various wide accents are also supported:

☞ `\widehat` and `\widetilde`

$$\widehat{x} \widehat{xx} \widehat{xxx} \widehat{xxxx} \widehat{xxxxx} \widehat{xxxxxx} \widetilde{x} \widetilde{xx} \widetilde{xxx} \widetilde{xxxx} \widetilde{xxxxx} \widetilde{xxxxxx}$$

☞ `\overline` and `\underline`

$$\overline{x} \overline{xy} \overline{xyz} \overline{A \cup B} \overline{A \cup (B \cap C) \cup D} \underline{m+n+p}$$

☞ `\wideoverbar`, `\widecheck` and `\widebreve`

$$\wideoverbar{x} \wideoverbar{xy} \wideoverbar{xyz} \widecheck{x} \widecheck{xxxx} \widecheck{xxxxxx} \widebreve{x} \widebreve{xxx} \widebreve{xxxxx}$$

☞ `\overparen` and `\underparen`

$$\overparen{x} \overparen{xy} \overparen{xyz} \overparen{A \cup B} \overparen{A \cup (B \cap C) \cup D} \overparen{x+y} \overparen{a+b+\dots+z}$$

$$\underparen{x} \underparen{xz} \underparen{xyz} \underparen{x+z} \underparen{a+b+\dots+z}$$

☞ `\overbrace` and `\underbrace`

$$\overbrace{a} \overbrace{ab} \overbrace{abc} \overbrace{abcd} \overbrace{abcde} \overbrace{a+b+c}^3 \overbrace{a+b+\dots+z}^{26}$$

$$\underbrace{a} \underbrace{ab} \underbrace{abc} \underbrace{abcd} \underbrace{abcde} \underbrace{a+b+c}_3 \underbrace{a+b+\dots+z}_{26}$$

☞ `\overbracket` and `\underbracket`

$$\overbracket{a} \overbracket{ab} \overbracket{abc} \overbracket{abcd} \overbracket{abcde} \overbracket{a+b+c}^3 \overbracket{a+b+\dots+z}^{26}$$

$$\underbracket{a} \underbracket{ab} \underbracket{abc} \underbracket{abcd} \underbracket{abcde} \underbracket{a+b+c}_3 \underbracket{a+b+\dots+z}_{26}$$

☞ `\overrightarrow` and `\overleftarrow`

$$\overrightarrow{v} \overrightarrow{M} \overrightarrow{vv} \overrightarrow{AB} \overrightarrow{ABC} \overrightarrow{ABCD} \overrightarrow{ABCDEFGH}$$

$$\overleftarrow{v} \overleftarrow{M} \overleftarrow{vv} \overleftarrow{AB} \overleftarrow{ABC} \overleftarrow{ABCD} \overleftarrow{ABCDEFGH}$$

☞ Finally `\widearc` and `\overrightarrowarc` (loading `fourier-otf.sty` is required)

$$\widearc{AMB} \overrightarrowarc{AMB}$$

3.5 Mathematical alphabets

☞ All Latin and Greek characters are available in italic, upright, bold and bold italic via the `\symit{}`, `\symup{}`, `\symbf{}` and `\symbf it{}` commands.

☞ Calligraphic alphabet (`\symscr` or `\symcal` or `\mathcal` command), uppercase only:

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

☞ Blackboard-bold alphabet (`\symbb` or `\mathbb` command), uppercase, lowercase and digits:

ABCDEF GHIJK LMNOPQR STUVWXY Z
 abcdefghijklmnopqrstuvwxyz 0123456789

☞ Fraktur alphabet is borrowed from Latin Modern,
 A B C D E F G H I J K L M N O P Q R S T U V W X Y Z abcdefghijklmnopqrstuvwxyz
 but this can be overwritten, i.e.

```
\setmathfont{STIX2Math.otf}[range=frak,Scale=MatchUppercase]
 $\symfrac{ABCDEFGHIJKL\dots XYZ abcdefghijkl\dots xyz}$ 

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z abcdefghijklmnopqrstuvwxyz
```

☞ Sans serif alphabet is borrowed from Latin Modern,
 ABCDEF GHIJK LM abcdefghijk NOPQRSTUVWXYZ mnopqrstuvwxyz
 but it can be borrowed from another Math font, i.e.

```
\setmathfont{STIX2Math.otf}[range={sfup,sfit},
                             Scale=MatchUppercase]
 $\symsfup{ABCD\dots klm}\quad\symsfit{NOPQ\dots xyz}$ 

ABCDEF GHIJK LM abcdefghijklm NOPQRSTUVWXYZ mnopqrstuvwxyz
```

☞ Typewriter alphabet is borrowed from Latin Modern,
 ABCDEF GHIJK LMNOPQRSTUVWXYZ abcdefghijklmnopqrstuvwxyz
 but it can be borrowed from another Math font, i.e.

```
\setmathfont{STIX2Math.otf}[range=tt,Scale=MatchUppercase]
 $\symtt{ABCDE\dots XYZ abcde\dots xyz}$ 

ABCDEF GHIJK LMNOPQRSTUVWXYZ abcdefghijklmnopqrstuvwxyz
```

3.6 Missing symbols

Erewhon-Math does not aim at being as complete as STIX2Math or Cambria, the current glyph coverage compares with TeXGyre Math fonts. In case some symbols do not show up in the output file, you see warnings in the .log file, for instance:

Missing character: There is no \Rightarrow (U+2964) in font ErewhonMath

Borrowing them from a more complete font, say STIX2Math, is a possible workaround:
`\setmathfont{STIX2Math.otf}[range={"2964"}, Scale=1.02]`
scaling is possible, multiple character ranges are separated with commas:
`\setmathfont{STIX2Math.otf}[range={"294A-"2951", "2964", "2ABB-"2ABE}]`

3.7 Fourier ornaments

All logos and ornaments provided by Fourier-GUTenberg (fourier-orns.sty) are available with Erewhon-Math when loaded by `\usepackage{fourier-otf}`.

fourier-orns.sty as of v2.0 automatically fetches its glyphs in a specific OpenType font with LuaTeX or XeTeX engines and from a Type 1 font otherwise (pdfTeX).

☞ `\textpertenthousand` \%000 , \%000 , \%000 , \%000 ,

☞ A variant of the euro symbol: `\neurologo` $\text{\text{€}}$, $\text{\text{€}}$, $\text{\text{€}}$, $\text{\text{€}}$,

☞ A “starred” bullet: `\starredbullet` $\text{\text{†}}$,

☞ Decos and logos: `\warning` $\text{\text{⚠}}$, `\noway` $\text{\text{⊘}}$, `\textxswup` $\text{\text{⚡}}$, `\textxswdown` $\text{\text{⚡}}$,
`\bomb` $\text{\text{💣}}$, `\decoone` $\text{\text{⚡}}$, `\decotwo` $\text{\text{⚡}}$, `\decothreeleft` $\text{\text{⚡}}$, `\decothreeright` $\text{\text{⚡}}$,
`\decofourleft` $\text{\text{⚡}}$, `\decofourright` $\text{\text{⚡}}$, `\decosix` $\text{\text{⚡}}$, `\floweroneleft` $\text{\text{🌸}}$,
`\floweroneright` $\text{\text{🌸}}$, `\lefthand` $\text{\text{👉}}$, `\righthand` $\text{\text{👈}}$.

☞ Smileys: `\grimace` $\text{\text{😬}}$, `\texttthing` $\text{\text{👉}}$.

☞ Leaves: `\aldineleft` $\text{\text{🌿}}$, `\aldineright` $\text{\text{🌿}}$, `\aldine` $\text{\text{🌿}}$, `\aldinesmall` $\text{\text{🌿}}$,
`\leafleft` $\text{\text{🌿}}$, `\leafright` $\text{\text{🌿}}$, `\leafNE` $\text{\text{🌿}}$, `\leafNW` $\text{\text{🌿}}$, `\leafSE` $\text{\text{🌿}}$, `\leafSW` $\text{\text{🌿}}$.

☞ Pilcrow: `\oldpilcrowone` $\text{\text{¶}}$, `\oldpilcrowtwo` $\text{\text{¶}}$, `\oldpilcrowthree` $\text{\text{¶}}$,
`\oldpilcrowfour` $\text{\text{¶}}$, `\oldpilcrowfive` $\text{\text{¶}}$ aaaa, `\oldpilcrowsix` $\text{\text{¶}}$ aaaaaaaaaa.

Finally, some symbols are also provided in math mode, with other names:

☞ `\$forbidden$` ($\text{\text{⊘}}$), `\$beware$` ($\text{\text{⚠}}$), `\$boom$` ($\text{\text{💣}}$),

☞ `\$thething$` ($\text{\text{👉}}$) is a *QED symbol* for a false proof. Of course, you don't need it!

☞ `\$xswordsup$` ($\text{\text{⚡}}$) and `\$xswordsdown$` ($\text{\text{⚡}}$) may be used as tags for a debated statement, or for anything else. $\text{\text{⚡}}$

4 Acknowledgements

All glyphs in Erewhon-Math are borrowed or derived either from Erewhon fonts or Fourier-GUTenberg package. Many thanks to Michael Sharpe and Michel Bovani for providing these.

I am grateful to George Williams and his co-workers for providing and maintaining Font-Forge and to Ulrik Vieth for his illuminating paper published in TUGboat 2009 Volume 30 about Open Type Math.

Thanks to Oliver Natt for providing valuable feedback!

